

TRX-4M™ 1/18 1979 Chevrolet® K10 High Trail Edition™ (Model 97064-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	Bod	y & Accessories (1979 Ford® F-150® Truck)
9787-BLUE	Axle cover, 6061-T6 aluminum (blue-anodized) (2)/ 1.6x12mm	9812	Body, Ford F-150 Truck (1979), complete (unassembled) (white,
9787-GRAY	BCS (with threadlock) (8) Axle cover, 6061-T6 aluminum (dark titanium-anodized) (2)/		requires painting) (includes grille, side mirrors, door handles, roll bar, windshield wipers, side trim, & clipless mounting)
	1.6x12mm BCS (with threadlock) (8)		(requires #9834 front & rear bumpers)
9787-GRN	Axle cover, 6061-T6 aluminum (green-anodized) (2)/ 1.6x12mm	9812-BLK	Body, Ford F-150 Truck (1979), complete, black (includes grille, side mirrors, door handles, roll bar, windshield wipers, side trim,
9787-ORNG	BCS (with threadlock) (8) Axle cover, 6061-T6 aluminum (orange-anodized) (2)/ 1.6x12mm		& clipless mounting) (requires #9834 front & rear bumpers)
	BCS (with threadlock) (8)	9812-BLUE	Body, Ford F-150 Truck (1979), complete, blue (includes grille,
9787-RED	Axle cover, 6061-T6 aluminum (red-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)		side mirrors, door handles, roll bar, windshield wipers, side trim, & clipless mounting) (requires #9834 front & rear bumpers)
9787	Axle cover, brass (8 grams each) (2)/ 1.6x12mm CS (with	9812-BRWN	Body, Ford F-150 Truck (1979), complete, brown (includes grille,
0738 BI KCE	threadlock) (8) R Axle cover, front or rear (black chrome) (2)		side mirrors, door handles, roll bar, windshield wipers, side trim, & clipless mounting) (requires #9834 front & rear bumpers)
9738-BERCE	Axie cover, front or rear (black chrome) (2) Axie cover, front or rear (black) (2)	9812-RED	Body, Ford F-150 Truck (1979), complete, red (includes grille,
9738-BLUE	Axle cover, front or rear (blue) (2)		side mirrors, door handles, roll bar, windshield wipers, side trim, & clipless mounting) (requires #9834 front & rear bumpers)
9738-GRAY 9738-RED	Axle cover, front or rear (gray) (2) Axle cover, front or rear (red) (2)	9812-WHT	Body, Ford F-150 Truck (1979), complete, white (includes grille,
9738-SATIN			side mirrors, door handles, roll bar, windshield wipers, side trim, & clipless mounting) (requires #9834 front & rear bumpers)
9741	Axle housing, front & rear	9828	Decal sheet, Ford F-150 Truck (1979)
9729X 9730X	Axle shaft, front (hardened steel) (1) Axle shaft, rear (hardened steel) (1)	9816	Door handles (left & right)/ mirrors, side (left & right)/ windshield
9756	Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened	9819-BLK	wipers (fits #9812 body) Front grille/ tailgate panel (black)/ LED lenses (rear, left & right)
9729	steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2) Axle shafts, front, outer (2)		(fits #9812 body)
9730	Axle shafts, rear, outer (2)	9819-BLUE	Front grille/ tailgate panel (blue)/ LED lenses (rear, left & right) (fits #9812 body)
9743	Axle, front (assembled)/ M2.5x0.45 NL (2)	9819-BRWN	Front grille/ tailgate panel (brown)/ LED lenses (rear, left & right)
9744 9754	Axle, rear (assembled)/ M2.5x0.45 NL (2) Rebuild kit, constant-velocity driveshaft (includes pins for 2	0040 ODN	(fits #9812 body)
3734	driveshaft assemblies) (for front driveshafts or #9751 metal	9819-GRN	Front grille/ tailgate panel (green)/ LED lenses (rear, left & right) (fits #9812 body)
9777	center driveshafts) Ring gear, axle (2)/ pinion gear, axle (2)	9819-RED	Front grille/ tailgate panel (red)/ LED lenses (rear, left & right)
9779	Ring gear, axle (2)/ pinion gear, axle (2) (metal)	9819-WHT	(fits #9812 body) Front grille/ tailgate panel (white)/ LED lenses (rear, left & right)
9765	Skidplate, axle, front or rear (stainless steel) (2)		(fits #9812 body)
9753 9753X	Stub axle, front (2)/ cross pins (2)/ drive pins (4) Stub axle, front (hardened steel) (1)	9819	Front grille/ tailgate panel (white, requires painting)/ LED lenses (rear, left & right) (unassembled) (fits #9812 body)
	Bearings & Bushings	9825	Latch, body mount, front (1)/ rear (1) (for clipless body
9745X	Ball bearing kit, black rubber sealed, complete (3x6x2.5mm (8),	9823	mounting) (attaches to #9812 body) LED lenses, body, front & rear (complete set) (fits #9812 body)
9745R	5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4)) Ball bearing kit, transmission, black rubber sealed (contains	9863	LED lights, wire harness (fits #9862 roll bar)
01-1010	3x6x2.5mm bearings (6))	9862X	Roll bar (assembled with LED lights) (fits #9811 or 9812 series bodies)
9745	Bushing kit, self-lubricating, complete (3x6x2.5mm (8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9862	Roll bar (assembled) (fits #9811 or 9812 series bodies)
Rody	& Accessories (1979 Chevrolet® K10 Truck)	9824 9815	Side trim, left & right (chrome) (fits #9812 body) Windows, body (fits #9812 body)
9811	Body, Chevrolet K10 Truck (1979), complete (unassembled)	9815X	Windows, body (fits #9812 body) Windows, body (tinted) (fits #9812 body)
	(white, requires painting) (includes grille, side mirrors, door		Bumpers & Skidplates
	handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)	9836	Bumper mount (front (1)/ rear (1)) (fits #9835 bumpers)
9811-BLK	Body, Chevrolet K10 Truck (1979), complete, black (includes grille,	9835	Bumper, front (1)/ rear (1) (fits TRX-4M [™] Chevrolet® K10® Truck)
	side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)	9838 9765	Push bar, bumper, chrome (assembled) (fits #9835 bumper) Skidplate, axle, front or rear (stainless steel) (2)
9811-BLUE	Body, Chevrolet K10 Truck (1979), complete, blue (includes grille,	9766	Skidplate, chassis (stainless steel)
	side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)		Chassis & Attachments
9811-RED	Body, Chevrolet K10 Truck (1979), complete, red (includes grille, side	0000	Battery strap
	mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)	9836 9822	Bumper mount (front (1)/ rear (1)) (fits #9835 bumpers) Chassis rails, 220mm (steel) (left & right)
9827	Decal sheet, 1/18 scale TRX-4M™ Chevrolet K10 Truck (1979)	9739-BLUE	Servo mount, 6061-T6 aluminum (blue-anodized)
9817	Door handles (left & right)/ mirrors, side (left & right)/ windshield	9739-GRAY	Servo mount, 6061-T6 aluminum (dark titanium-anodized)
9820	wipers (fits #9811 body) Front grille/ tailgate panel/ LED lenses (rear, left, & right) (fits #9811	9739-GRN 9739-ORNG	Servo mount, 6061-T6 aluminum (green-anodized) Servo mount, 6061-T6 aluminum (orange-anodized)
	body)	9739-RED	Servo mount, 6061-T6 aluminum (red-anodized)
9813	Latch, body mount, front (1)/ rear (1) (for clipless body mounting) (attaches to #9811 body)	9739 9826	Servo mount, steering/ servo horn Shock mounts (front & rear)/ trailer hitch (extended)
9818	LED lenses, body, front & rear (complete set) (fits #9811 body)	9766	Skidplate, chassis (stainless steel)
9863 9862X	LED lights, wire harness (fits #9862 roll bar) Roll bar (assembled with LED lights) (fits #9811 or 9812 series		Driveline Components
	bodies)	9855	Driveshafts, center, assembled (front & rear) (fits 1/18 scale TRX-
9862	Roll bar (assembled) (fits #9811 or 9812 series bodies)	9852-BLUE	4M [™] vehicles with 161mm wheelbase) Driveshafts, center, female, 6061-T6 aluminum (blue-anodized)
9814 9814X	Windows, body (fits #9811 body) Windows, body (tinted) (fits #9811 body)	·	(front & rear) (for use with #9751 metal center driveshafts) (fits
	- · · · · · · · · · · · · · · · · · · ·	9852-GRAY	1/18 TRX-4M™ vehicles with 162mm wheelbase) Driveshafts, center, female, 6061-T6 aluminum (dark titanium-
			anodized) (front & rear) (for use with #9751 metal center
			driveshafts) (fits 1/18 TRX-4M™ vehicles with 162mm wheelbase)

9852-GRN	Driveshafts, center, female, 6061-T6 aluminum (green-anodized) (front & rear) (for use with #9751 metal center driveshafts) (fits		Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt 80 wt premium shock oils with spinning carousel rack)
9852-ORNG	1/18 TRX-4M™ vehicles with 162mm wheelbase)	5038	Spinning carousel rack
9852-URNG	Driveshafts, center, female, 6061-T6 aluminum (orange-anodized (front & rear) (for use with #9751 metal center driveshafts) (fits		Shocks
	1/18 TRX-4M™ vehicles with 162mm wheelbase)	9763	Body, GTM shock (molded composite) (gray) (2)
9852-RED	Driveshafts, center, female, 6061-T6 aluminum (red-anodized)	9763-BLUE	Body, GTM shock, 6061-T6 aluminum (blue-anodized) (included)
	(front & rear) (for use with #9751 metal center driveshafts) (fits		spring pre-load spacers) (2)
	1/18 TRX-4M™ vehicles with 162mm wheelbase)	9763-GRAY	Body, GTM shock, 6061-T6 aluminum (dark titanium-anodize
	Hardware	0700 0011	(includes spring pre-load spacers) (2)
9848	Hardware kit, complete (contains all hardware used on 1/18 scale	9763-GRN	Body, GTM shock, 6061-T6 aluminum (green-anodized) (incluspring pre-load spacers) (2)
3010	TRX-4MT™ Monster Truck & TRX-4M™ High Trail Edition™) (includes clear plastic storage container)	9763-ORNG	Body, GTM shock, 6061-T6 aluminum (orange-anodized)
9848X	Hardware kit, stainless steel, complete (contains all stainless	9763-RED	(includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (red-anodized) (include
	steel hardware used on 1/18-scale TRX-4MT™ Monster Truck & TRX-4M™ High Trail Edition™) (includes body hardware and	9761A	spring pre-load spacers) (2) Lower retainer, shock, brass (1 gram each) (4)
	clear plastic storage container)	9762	Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps)
	LED Lights		(renews 2 shocks)
9790	LED light set, TRX-4M™ (fits #9795 utility trailer)	9762A	Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload space
863	LED lights, wire harness (fits #9862 roll bar)	9764	Shocks, GTM (assembled w/o springs) (2)
9883	Pro Scale® LED light set, front & rear, complete (includes light	9764-BLUE	Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully
	harness, zip ties (6)) (fits #9811 body)	0764 CDAV	assembled w/o springs) (4)
9862X	Roll bar (assembled with LED lights) (fits #9811 or 9812 series bodies)	9764-GRAY	Shocks, GTM, 6061-T6 aluminum (dark titanium-anodized) (fu assembled w/o springs) (4)
9786 9 839	Wire harness, LED lights (front)/ zip ties (2) Wire harness/ mount (for #9790 trailer LED light kit)	9764-GRN	Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully assembled w/o springs) (4)
		9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully
	Motors & Electronics		assembled w/o springs) (4)
9785	ECM-2.5 Electronic Control Module, waterproof (low voltage	9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assem
200 4D	detection, fwd/rev/brake)	9757	w/o springs) (4) Spring, shock (GTM) (0.072 rate) (1 pair)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)	9757 9758	
9793-BLUE	Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-anodized)	9750 9759	Spring, shock (GTM) (0.095 rate) (1 pair) Spring, shock (GTM) (0.123 rate) (1 pair)
793-GRAY	Heat sink, Titan® 87T motor (6061-T6 aluminum, dark titanium- anodized)	9760	Spring, shock (GTM) (0.123 rate) (1 pair)
793-GRN	Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anodized)		
793-ORNG	Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anouzea)		Springs
	anodized)	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
793-RED	Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9775	Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)	9759	Spring, shock (GTM) (0.123 rate) (1 pair)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	9760	Spring, shock (GTM) (0.155 rate) (1 pair)
9740	Servo horn (metal)		Steering Components
2065T	Servo, sub-micro, waterproof	9733-BLUE	Caster blocks, 6061-T6 aluminum (blue-anodized) (left & righ
2065R	Servo, sub-micro, waterproof, metal gear	9733-GRAY	Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (l
3250	TRX-4M® Brushless Power System, waterproof (includes ECM	0.00 0.01	right)
	Brushless electronic control module (3-channel) and 3350Kv	9733-GRN	Caster blocks, 6061-T6 aluminum (green-anodized) (left & rig
	brushless motor)	9733-ORNG	Caster blocks, 6061-T6 aluminum (orange-anodized) (left & r
	Radio System, Batteries & Chargers	9733-RED	Caster blocks, 6061-T6 aluminum (red-anodized) (left & right
2822	1000mAh 7.4V 2-Cell 20C LiPo Battery	9733	Caster blocks, brass (4 grams each) (left & right)
2821	750mAh 7.4V 2-Cell 20C LiPo Battery	9737-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)
3548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517		2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with thread
3340	transmitter)		(4)
2914	Battery, Power Cell AA Alkaline (4)	9737-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized)
9767			
	• ,		& right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
,,,,,	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector		threadlock) (4)
	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only)	9737-GRN	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left &
2064A	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo)	9737-GRN	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
2064A 2 064R	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo)		threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
2064A 2 064R 2063A	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo)	9737-GRN 9737-ORNG	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left &
2064A 2 064R 2063A 9740	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo)		threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
2064A 2 064R 2063A 2 740 2065T	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal)	9737-ORNG	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
2064A 2064R 2063A 1740 2065T	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof		threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 2x6mm SS (with threadlock) (4)
2064A 2064R 2063A 2740 2065T 2065R	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	9737-ORNG	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock)
2064A 2064R 2063A 4740 2065T 2065R	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) RERITY-TO-RECE MOTE	9737-ORNG 9737-RED	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
2064A 2064R 2063A 4740 2065T 2065R	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) REGIVETO-RACE MOTE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck	9737-ORNG 9737-RED	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
0064A 0064R 0063A 0740 0065T 0065R	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) RECOUNTIES AND TRACE MOTE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System	9737-ORNG 9737-RED	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12m BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
2064A 2064R 2063A 1740 2065T 2065R 5516	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) ROBITY-TO-RICE MOTE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System	9737-ORNG 9737-RED 9737	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horm
0064A 0064R 0063A 0740 0065T 0065R 5516	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Really-10-Race Mole TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System Seal Paccessories Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load	9737-ORNG 9737-RED 9737 9732	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12m BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right)/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7m
2064A 2064R 2063A 2740 2065T 2065R 3516	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SERICAL GESSOTICS Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1)	9737-ORNG 9737-RED 9737 9732 9748-BLUE	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with thread (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7m SS (with threadlock) (1)
2064A 2064R 2063A 2740 2065T 2065R 3516 27064-1	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SCALE 1.0CCSSOTES Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware	9737-ORNG 9737-RED 9737 9732	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with thread (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7m SS (with threadlock) (1) Steering link, 6061-T6 aluminum (dark titanium-anodized)/ se
2064A 2064R 2063A 1740 2065T 2065R 3516 27064-1	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) REALLY-TO-RIGE MOLE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SERICACESSOTICS Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load	9737-ORNG 9737-RED 9737 9732 9748-BLUE	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ Steering link, 6061-T6 aluminum (dark titanium-anodized)/ sehorn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/
2064A 2064R 2063A 1740 2065T 2065R 3516 27064-1	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) ROBLITION COLOR TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SCALE ACCESSIFIES Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)	9737-ORNG 9737-RED 9737 9732 9748-BLUE 9748-GRAY	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with thread (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7m SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/
2064A 2064R 2063A 1740 2065T 2065R 3516 27064-1	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) ROBLITION COLOR TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SCALE ACCESSIFIES Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)	9737-ORNG 9737-RED 9737 9732 9748-BLUE	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7m SS (with threadlock) (1)/ Steering link, 6061-T6 aluminum (dark titanium-anodized)/ sehorn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ Steering link, 6061-T6 aluminum (green-anodized)/ servo hor
2064A 2064R 2063A 1740 2065T 2065R 3516 27064-1	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SCALE 10 10 10 10 10 10 10 10 10 10 10 10 10	9737-ORNG 9737-RED 9737 9732 9748-BLUE 9748-GRAY	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with thread (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ Steering link, 6061-T6 aluminum (green-anodized)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm CCS (with threadlock)/ servo horm metal/ spacers (2)/ 3x6mm
0064A 0064R 0063A 7740 0065T 0065R 0516 07064-1	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) REPAILY-TO-RICE MOILE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SCALE ACCESSOFES Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) SIDCK OII Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	9737-ORNG 9737-RED 9737 9732 9748-BLUE 9748-GRAY 9748-GRN	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12m BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering blocks, left & right/) caster blocks (c-hubs), left or right (2 Steering blocks, left & right/) caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ Steering link, 6061-T6 aluminum (green-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
2064A 2064R 2063A 1740 2065T 2065R 2516 27064-1 2796 2797 2795	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) RORILY-TO-RICE MOLE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SHIP ACCESSIFES Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) SIDCK 0II Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	9737-ORNG 9737-RED 9737 9732 9748-BLUE 9748-GRAY	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12m BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.
2064A 2064R 2063A 2740 2065T 2065R 3516 27064-1 2796 2797 2795 2031 2032 2033	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) RCRITY-TO-RICE MOTE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SCALE ACCESSOFES Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) STOCK OTE Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	9737-ORNG 9737-RED 9737 9732 9748-BLUE 9748-GRAY 9748-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with thread (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Steering link, 6061-T6 aluminum (dark titanium-anodized)/ sehorn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Steering link, 6061-T6 aluminum (green-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock)
2064A 2064R 2063A 2740 2065T 2065R 2516 27064-1 2796 2797 2795	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) RPATIV-10-RAGE MOTE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SPATE ACCESSOTICS Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) STOCK 01 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	9737-ORNG 9737-RED 9737 9732 9748-BLUE 9748-GRAY 9748-GRN 9748-ORNG	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo hormetal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ Steering link, 6061-T6 aluminum (green-anodized)/ servo hormetal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7m SS (with threadlock) (1) Steering link, 6061-T6 aluminum (green-anodized)/ servo hormetal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7m SS (with threadlock) (1)
2064A 2064R 2063A 3740 2065T 2065R 3516 37064-1 3796 3797 3795 5031 5032 5033 5034 5035	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) ROTINIO REGE MOTE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SCALE ACCESSOTES Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) SIDCK OT Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	9737-ORNG 9737-RED 9737 9732 9748-BLUE 9748-GRAY 9748-GRN	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ Steering link, 6061-T6 aluminum (green-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ Steering link, 6061-T6 aluminum (green-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm CS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm CS
2064A 2064R 2063A 2740 2065T 2065R 2516 27064-1 2796 2797 2795	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo horn (metal) Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Transmitter, TQ 2.4GHz, 2-channel (transmitter only) RPATIV-10-RAGE MOTE TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System SPATE ACCESSOTICS Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1) Trailer wheels (2)/ tires (2)/ mounting hardware Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2) STOCK 01 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	9737-ORNG 9737-RED 9737 9732 9748-BLUE 9748-GRAY 9748-GRN 9748-ORNG	threadlock) (4) Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & rig 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, brass (7 grams each) (left & right)/ 2.5x12m BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, left & right/ caster blocks (c-hubs), left or right (2 Steering blocks, left & right/) caster blocks (c-hubs), left or right (2 Steering link, 6061-T6 aluminum (blue-anodized)/ servo hormetal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7ms (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7ms (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7m (2)/ 3x6mm CCS (with threadlock) (2)/ 2.5x7m (2)/ 3x6mm

Page 3 TRX-4M[™] 1/18 1979 Chevrolet® K10 High Trail Edition[™]: TQ 2.4 GHz Radio (Model 97064-1) Parts List

9842	Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled		Gear set, transmission, low range (crawl) (40.3:1 reduction ratio) pinion gear, 11-tooth
	with hollow balls) (fits 1/18 scale vehicles with long wheelbase)	9776X 9747	Gear set, transmission, speed (blue) (9.7:1 reduction ratio) Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (2)/
7020	Suspension Linkage	3141	2x8mm BCS (4)/ 3x6x2.5mm bushings, self-lubricating (6)/ 3x16mm
7028 7028X	Hollow balls (20) Hollow balls, steel (machined) (22)	0747V	pins (2)
7059	Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory	9747X 9892	Output shaft, transmission Shifting servo (for #9891 transmission)
	suspension links)	9791	Transmission, complete (high range (trail) gearing) (16.6:1 reduction
9859	Rod ends, long (8)/ hollow balls, steel (8) (for 1/18 scale TRX-4M [™] vehicle accessory suspension links)		ratio) (assembled with ball bearings) (includes Titan® 87T motor)
9749-BLUE	Suspension link set, 6061-T6 aluminum (blue-anodized)	9791R	Transmission, complete (low range (crawl) gearing) (40.3:1
	(includes 5x53mm front lower links (2), 5x46mm front upper links	;	reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
0740 OD 4V	(2), 5x68mm rear lower or upper links (4))	9791X	Transmission, complete (speed gearing) (9.7:1 reduction ratio)
9749-GRAY	Suspension link set, 6061-T6 aluminum (dark titanium-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links		(assembled with ball bearings) (includes Titan® 87T motor)
	(2), 5x68mm rear lower or upper links (4))	9891	Two speed transmission, complete (32.7:1 and 9.9:1 gear reduction ratios) (includes Titan® 87T motor)
9749-GRN	Suspension link set, 6061-T6 aluminum (green-anodized)		Traxxas Tools
	(includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))	3433X	
9749-ORNG	Suspension link set, 6061-T6 aluminum (orange-anodized)	3433	Body reamer (aluminum handle) Body reamer (plastic handle)
	(includes 5x53mm front lower links (2), 5x46mm front upper links	3436	Cap, body reamer
9749-RED	(2), 5x68mm rear lower or upper links (4))	3432	Scissors, curved tip
9/45-RED	Suspension link set, 6061-T6 aluminum (red-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links (2),	3431	Scissors, straight tip
	5x68mm rear lower or upper links (4))	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
9842	Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front luner links (2), rear links (4), (accomplete		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
	front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)		and 8.0mm), 1/4" drive
9749	Suspension link set, steel (includes 4x53mm front lower links (2)	8720 ' 8721	Speed bit handle, large (overmolded)
	4x46mm front upper links (2), 4x68mm rear lower or upper links	8722	Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold)
9849	(4)) Suspension link set, steel (includes 4x55mm front lower links (2).	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
3043	4x48mm front upper links (2), 4x74mm rear lower or upper links	,	premium handle (medium), travel pouch, hex drivers (straight:
	(4))		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
	Team Traxxas Items		8.0mm), 1/4" drive
9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
2514	Decal sheet, racing sponsors		includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)		2.5mm, 3.0mm), 1/4" drive
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
9909	Traxxas® racing banner, red & black (3x7 feet)		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	Tires & Wheels	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
9774	Tires & wheels, assembled (black 1.0" wheels, BFGoodrich®		drive
	Mud-Terrain™ T/A® KM3 2.2x1.0" tires) (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
9773	Tires & wheels, assembled (black 1.0" wheels, Canyon Trail 2.2x1.0" tires) (2)	8715	3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
9873	Tires & wheels, assembled (chrome 1.0" wheels, Mickey		2.5mm), 1/4" drive
	Thompson® Baja Pro™ Xs 2.4x1.0" tires) (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
9771	Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)	8714	2.5mm, 3.0mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
9868 9769	Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.4x1.0" (2) Tires, Canyon Trail 2.2x1.0" (2)	0714	Phillips, and #2 Phillips bits), 1/4" drive
9782	Tires, Mickey Thompson® Baja Pro™ X 2.2x1.0" (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
9871	Tires, Mickey Thompson® Baja Pro™ Xs 2.4x1.0" (2)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
9750	Wheel hubs, 7mm hex (4)/ axle pins (8)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
9750A 9750X	Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
9750X 9780	Wheel hubs, 7mm hex, brass (1 gram each) (4)/ axle pins (8) Wheel weights, brass (31 grams each) (2) (requires #9781 series		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
	wheels)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
	Wheels, 1.0" (black chrome) (2)		-
9770-BLKCR 9768	Wheels, 1.0" (black chrome) (2)		
9768 9770	Wheels, 1.0" (black) (2) Wheels, 1.0" (black) (2)		
9870	Wheels, 1.0" (chrome) (2)		
9770-SATIN	Wheels, 1.0" (satin chrome) (2)		
9768-SATIN	Wheels, 1.0" (satin chrome) (2)		
9781	Wheels, 1.0", Method Race Wheels® 105 Beadlock (black, beadlock) (2)		If you have questions or need technical assistance, call Traxxas at:
9781-BLKBL	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black		1-888-TRAXXAS
0704 04=0:	chrome with blue beadlock) (2)		(1-888-872-9927) (U.S. residents only)
9781-SATIN	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2)		
9881-BLK	Wheels, 1.0", 6061-T6 aluminum (black-anodized) (4)/ 2x8mm		For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
	BCS (24)		TRAXXAS.COM
9881-SLVR	Wheels, 1.0", 6061-T6 aluminum (silver-anodized) (4)/ 2x8mm		
	Transmission Components		

Ball bearing kit, transmission, black rubber sealed (contains 3x6x2.5mm bearings (6)) 9745R 9776 Gear set, transmission, high range (trail) (16.6:1 reduction ratio)/

pinion gear, 11-tooth